



Valves, Fittings, Fire-fighting equipment,

Water heating series,

Pipe profile

CATALOG



Contents

1	Automotive valve	01/17	9	Carbon steel pipe fittings	50
2	Stainless steel valve	18/24	10	Grooved pipe fittings	51/52
3	Cast steel valve	25/27	11	Fire fighting equipment	54/59
4	Cast iron valve	29/34	12	Auxiliary accessories	60/61
5	HVAC copper valve	35/37	13	Water heating series	62/64
6	Stainless steel pipe fittings	39/47	14	Pipe profile	65/68
7	Copper pipe fittings	48	15	Dimensional data	69/91
8	Galvanized pipe fittings	49			

Automotive Valves



ZJHP-16P



ZDLP-16P



ZJHM-16P



ZZYP-16P



ZJHM-16P



ZXP-16C



J641W-16P



ZDLQ-16P



ZJHM-16C



ZXGV-16C



CV3000-HCP



ZSPQ-16C



ZJHPF46-16C





DHTS-16P



ZDLM-16C



ZZWPE-16C



T941H-ZAZN



ZDLM-16C



ZZWPE-16C



ZDLP-16C



ZDLP-16C



ZAZP-16C



ZDLM-16C





ZZYP-16C




ZZYP-16P



ZHAS-16C



ZZYM-16C



Automotive Valves

Superior quality

WAYMORE
TOOLS



Electric actuator



Switch type regulating electric actuator Compact explosion-proof electric actuator



Multi turn explosion-proof electric actuator

Multi turn electric actuator

Electric valve



Q911F-16P



Q911F-16P



Q915F-16P



Q981F-16P



Q985F-16P



Q941F-16P



Q971F-16P



Q941F-16P



D945F-16P



Q941F46-16C



D971X-16Q



D971F-16Q



D941X-16Q



D973H-16C



D971F46-16C



D971X-16P



D971F-16P



D941X-16P



D943W-16P



D973W-16P

Electric valve



Z945X-16P



Z945X-16P



J941W-16P



Z941H-16C



J941H-16C



Z945X-16Q



Q911F-16S



Q941-16S



D971-10S



2W



2W



ZCG



2W




2W

Electric valve


BE UNITED AS
ONE IS READY



WAYMORE
TOOLS



Pneumatic actuator



AT pneumatic actuator



GT pneumatic actuator



AT pneumatic actuator with triple components



AW-700 pneumatic actuator



Q611F-16P



Q611F-16P



Q615F-16P



Q681F-16P



Q685X-16P



Q641F-16P



Q671F-16P



Q645F-16P



Q641F46-16C



Q641F-16P



D671X-16Q



D671F-16Q



D641X-16Q



D671X-16P



D671F-16P



D641X-16P



D643W-16P



D673W-16P



D673H-16C



D671F46-16C

Pneumatic valve



Z645W-16P



Z641H-16C




J641W-16P



FL941F-16P



PZ673H-16C



BV2FS/BV1FS



TQ641-16C



D641W-16C

High pressure valve series



J41W-16P



J61W-160P



J13W-160P



J29W-160P



J23W-160P



J61W-160P



J23W-160P



J23W-320P



J24W-160P



J26W-25P



J21H-16C



J23W-160P



J21W-160P



Q11F-320P



YJZQ-J15N



YJZQ-J20W



DT-020



KHB3K-G1



QGM-64P



QGM-64P



Q11F-64P



Q21SA



Q21SA



QGQY



QGQY



Pneumatic accessories



PC

PCF

PM

C

PC



PU

PU

PU

PV

PE



PW


PZA

PLF

PB

PK





Stainless steel valve



Z41W-16P



Z45X-16P



Z85X-16P



PZ43X-16P



J41W-16P



Q41F-16P



Q41F46-16P



Q45F/44F-16P



Q341F-16P



Q347F-16P



YJ41W-16P



HG5-89-16P



GJ41X-16P



P41X-16Q



CS41W-16P



GL41W-16P



Q41F-16P



BQ41F-16P



Q71F-16P



Q71F-16P

Stainless steel valve



H41W-16P



H44W-16P



HC44X-16P



HQ41X-16P



H42W-16P



D71X-16P



D71X-16P



D71F-16P



D371X-16P



D371F-16P



D81X-16P



D381X-16P



D373W-16P



881



YK43XF-16P



D41X-16P



D341X-16P



D341F-16P



D343W-16P



SP45F



HC41X-16P



H71W-16P



H74W-16P



H46W-16P



H42X-16P



100X-16P



200X-16P



300X-16P



500X-16P



600X-16P



100X-16P



200X-16P



300X-16P



500X-16P



600X-16P



DF41X-16P



JD745X-16P



LHS743X-16P



HH44X-16P



HH49X-16P

Stainless steel threaded valve



Stainless steel threaded valve



Q11F-16P



Q11F-16P



Q11F-16P



Q11F-16P



Q11F-16P



Q11F-16P



Q61F-16P



Q21F-16P



Q61F-16P



Q11F-16P



Q11F-16P



Q14/15F-16P



Q14/15F-16P



A196-20P



P11X-16P



H121X-16P



HS11X-16P



Y11X-16P



Y13-16P



YZ11X-16P

Stainless steel threaded valve



Z15X-16P



Z15W-16P



JXZ15X-16P



JMZ15X-16P



GL11W-16P



J11W-16P



J11W-16P



H12W-16P



H14W-16P



H11W-16P



Q11F-16P



Q31F-16P



Q11F-63RL



Q11F-63RL



Q11F-63RL



Q11F-16C



Q11F-16C



Q11F-16C



J11H-16C



H11H-16C

Cast steel valve



Z41H-16C



J41H-16C



Z43WF-16C



GL41H-16C



Y43H-16C



Cast steel valve



PZ73H-16C



PZ41X-16C



Z962Y-140V



Z962Y-140V



JY41W-25T



D373H-16C



D343H-16C



Q367F-25C



ZCRB-16C



G41J-10C



Q41F-16C



Q45F-16C



Q41F46-16C



Q41F-16C



GJ841X



WJ41H-16C



WJ45H-25C



J565Y-2000Lb



GZW-1



U41S-16Q



H41H-16C



H44H-25C



H42H-25C



QJ41M-16Q



Q11M-16Q



CS41H-25C



CS49H-25C



9961



F43-4.5T



FT14-10



Z41H-25C



Z41H-800LB



J41H-25C



H61F-800LB



H61H-800LB



A41Y-64C



A42Y-16C



A48Y-16C



A28H-16C



YA28W-16P



Water valve

Wide application

Superior quality



Water valve



Z45X-16Q



Z41X-16Q



Z45T-16Q



Z41T-16Q



GL41H-16Q



D71XP-16Q



D371XP-16Q



D341X-16Q



D71X-16Q



HC42X-16Q



D71F-16Q



D371F-16Q



D341F-16Q



HC41X-16Q



HC41X-16C



HC44X-16Q



HO41X-16Q



H71XT-16Q



H76X-16Q



H42X-16Q

Water valve



Z85X-16Q



Z81X-16Q



Z41X-16Q



XZ45X-16Q



XZ85X-16Q



Z85T-16Q



D81X-16Q



D71X-16Q



XD381X-16Q



XD371X-16Q



Z81T-16Q



GL81T-16Q



HC81X-16Q



H84X-16Q



HQ81X-16Q



G100X-16Q



G200X-16Q



G300X-16Q



G500X-16Q



G600X-16Q



100X-16Q



200X-16Q



300X-16Q



500X-16Q



600X-16Q



YQ9800-100X



YQ9800-200X



SGJD745X-16Q



H142X-16Q



ZY47F-16Q



LX-16Q



ZCS



Y43X-16Q



Y416X-16Q



SCAR-16Q



CARX-16Q



CARX-16Q



P41X-16Q



P41X-16Q



QB2X-16Q

Hydraulic valve



MD45X-16Q



JM45X-16Q



SD44X-16Q



SD44X-16Q



JM644X-16Q



P11X-16Q



GL11H-16Q



Z15X-16Q



JXZ15X-16Q



JMZ15X-16Q



H49X-16Q



HH48X-16Q



HH44X-16Q



A9H-16Q



DSBP741X-16Q



PLVE



LHS743X-16Q



DF41-16Q



GHS41X-16Q



SJLDC



LDC



LLTW-E



LL-AL

Hydraulic valve



Z41T-16



Z45T-16



J41T-16



Q41T-16



H44T-16



CBZ



CBZ



CBZ



ZSZ



SFZ



ZSJK



ZSJDY



SJCS



XLFZ



XLFZ



ZSJK



ZSJDY



LWBT



YQ9000



YQ9000

Copper valve series



Z45W-16T



J41W-16T



GL41W-16T



HC41X-16T



H44W-16T



Q41F-16T



Y42F-16T



2W



ZS



AC220V



Copper valve series



Q11F-16T



Q11F-16T



Z15W-16T



J11W-16T



G11W-16T



Y11X-16T



H14W-16T



H12W-16T



H14X-16T



P11X-16T



HVAC Valve Series



WAYMORE TOOLS *Flange*

Superior quality & Wide application



Flange

304/316L/T20592



Stainless steel flat welding flange RF



Stainless steel strip diameter welded flange WN



Stainless steel radial flat welding flange SO



Stainless steel flange blind plate BL



Stainless steel threaded fittings



Stainless steel groove fittings



Stainless steel compression fittings



Stainless steel stamped pipe fittings

304/316L GB/T 12459



Stainless steel quick installation sanitary fittings



Stainless steel quick connector



**8 models: A type, B type, C type, D type,
E type, F type, DC type, DP type**

Stainless steel manhole sight glass



Copper pipe fittings



Galvanized pipe fittings



Mike Black pipe fittings



Stamped iron pipe fittings



Firefighting trench fittings



Water supply ditch pipe fittings



Groove lined plastic steel pipe



Fire-fighting Equipment



Fire-fighting Equipment



Sprinkler head, multiple choices



Fire-fighting Equipment



KD65

KD65



QZ3.5/5



QZG3.5/7.5



QLD6.0/81



LOD6



PA-220V/24V



J-SJP-M



JPS0.8-19



LOG16-20/25



JPS0.8-19(16)



DN25



13-65-20



8-65-20/25/30



4kg-5kg



SN50/65



SNW65



SN65



SNW65



SNZW65



SNZJ65



SNZ65



SNSS65



SNSSW65



Fire-fighting Equipment



PS



PL



PLKD



PSKD



ZDMS0.6/5S



PCL



PQ



JPS0.8-19-25-CB



OXF



ZDMS0.8/30S



PHYM



PHYML



SQD-On the ground



SQD-underground



ZSFW



ZSJZ



ZSJZ



FS100



FSKD



FSDM



ZSJZ



ZSJZ



ZSFY



ZSFM



ZSFZ



SS100/65-1.6
SS150/80-1.6

SS100/65-1.6
SSF150/80-1.6

SA100/65-1.6
SA150/80-1.6

Auxiliary accessories



KTX-16C



KTX-16C




KTX-16C



KXT-16P



KXT/B-16C/P



Water meter series



Instrument series

Pressure gauge/temperature gauge/liquid level display



Open edge repair device



Z15X-16P



Z15X-16P



JXZ15X-16P



H14X-16P




Z15T-16Q



Pipe profiles



Galvanized steel pipe




Carbon steel seamless pipe



Lined plastic steel pipe

Pipe profiles




Pipe profiles



American standard ANSI-API-150LB flat welding flange


(mm)



Spec.	I.D.Dn	O.D.Dn	Hole D1 spacing	O.D. of D2 waterline	Convex X diameter	Belt D. H thickness	Flange b thickness	Screw hole diameter Z-d
DN15	22.4	90	65	14	4	45	2	9.5-9.9
DN20	27.7	100	75	14	4	55	2	11.2-11.5
DN25	34.5	110	85	14	4	65	2	11.5-11.7
DN32	43.0	130	100	18	4	78	2	14
DN40	49.5	140	110	18	4	85	3	14
DN50	62.0	155	125	18	4	100	3	13.7-14
DN65	74.7	175	145	18	4	120	3	16
DN80	90.7	190	160	18	8	135	3	16
DN100	116.0	210	180	18	8	155	3	17.8-18
DN125	143.8	240	210	18	8	185	3	17.8-18
DN150	170.7	275	240	22	8	210	3	18-18.7
DN200	221.5	330	295	22	8	263	3	18-19
DN250	276.4	385	350	22	12	318	3	20-21
DN300	327.2	435	400	22	12	366	3	21-22
DN350	359.0	495	460	22	16	426	3	22-23
DN400	410.0	560	515	26	16	480	3	23-24
DN450	461.8	610	565	26	20	530	3	23-24

American standard ANSI-API-150LB flat welding flange


(mm)



Spec.	I.D.Dn	O.D.Dn	Hole spacing D1	O.D. of D2 waterline	Convex X diameter	Belt D. H thickness	Flange b thickness	Screw hole diameter Z-d
DN15	22.4	95	66.5	35	38.0	9.7	15	4-15
DN20	27.7	117	82.5	43	47.8	11.2	16	4-18
DN25	34.5	124	89.0	51	53.8	12.7	18	4-19
DN32	43.0	133	98.6	65	63.5	14.2	19	4-19
DN40	50.0	156	114.5	73	70.0	15.7	21	4-22
DN50	62.0	165	127.0	92	84.0	17.5	28	8-19
DN65	74.5	190	149.0	105	100.0	19.0	26	8-22
DN80	90.6	210	168.5	127	117.0	20.6	29	8-22
DN100	116.0	254	200.0	157	146.0	20.6	32	8-22
DN125	144.0	279	235.0	186	178.0	20.6	35	8-22
DN150	170.0	318	270.0	216	206.0	20.6	37	8-22
DN200	221.0	381	330.0	270	260.0	20.6	42	12-22
DN250	276.0	444	387.5	324	320.0	20.6	48	12-25
DN300	327.0	521	451.0	381	375.0	20.6	51	16-29
DN350	359.0	584	514.5	413	425.0	20.6	54	16-32
DN400	410.0	6448	572.0	470	483.0	20.6	57	20-35
DN450	462.0	711	628.7	527	533.0	20.6	60	24-35
DN500	513.0	775	685.8	585	587.0	20.6	64	24-35

American standard ANSI-API-150LB butt welding flange

(mm)



Spec.	I.D.Dn	O.D.Dn	Hole spacing D1	O.D. of D2 waterline	Convex X diameter	Convex A diameter	Belt D. H thickness	Flange b thickness	Screw hole diameter Z-d
DN15	15.7	89	60.5	35	30.0	21.3	47.8	12.0	4-15
DN20	20.8	98	70.0	43	38.0	26.7	52.3	12.7	4-15
DN25	26.7	108	79.5	51	49.3	33.5	55.6	14.2	4-15
DN32	35.0	117	89.0	63	58.7	42.2	51.0	15.7	4-15
DN40	41.0	127	98.5	73	65.0	48.3	62.0	17.5	4-15
DN50	52.6	152	120.5	92	77.7	60.5	64.0	19.0	4-19
DN65	62.7	178	139.5	105	90.5	73.2	70.0	22.4	4-19
DN80	78.0	190	152.5	127	108.0	89.0	71.4	23.9	4-19
DN100	102.0	229	190.5	157	135.0	114.0	76.0	23.9	8-19
DN125	128.0	254	216.0	186	164.0	141.0	89.0	23.9	8-22
DN150	154.0	279	241.5	216	192.0	168.0	89.0	25.4	8-22
DN200	202.0	343	298.5	270	246.0	219.0	102.0	28.4	8-22
DN250	255.0	406	362.0	324	305.0	273.0	102.0	30.2	12-25
DN300	305.0	483	432.0	381	365.0	324.0	115.0	31.8	12-25
DN350	Customize Accepted	533	476.0	413	400.0	358.0	127.0	35.0	12-29
DN400		597	540.0	470	457.0	406.0	127.0	36.6	16-29
DN450		635	578.0	533	505.0	457.0	140.0	39.6	16-32
DN500		699	635.0	584	559.0	508.0	145.0	43.0	20-32