




21V LITHIUM[®] 12V LITHIUM[®]

BESTSELLER LITHIUM POWER TOOLS SERIES



PRODUCT BROCHURE

WAYMORE TOOLS CO., LTD.

BRUSHLESS MOTOR



High Efficiency Power Tools from Waymore Tools

Enlarged precision cylinder, strong hammering



BRUSHLESS LITHIUM ELECTRIC HAMMER

WME-DBL01

BL
MOTOR

21V LITHIUM



Hole diameter	Φ26mm
No-load speed	0-950r/min
Impacting frequency	0-3600i/min
Rated Voltage	21V



BRUSHLESS LITHIUM ELECTRIC HAMMER

WME-DBL02

BL
MOTOR

21V LITHIUM



Hole diameter	Φ26mm
No-load speed	0-950r/min
Impacting frequency	0-3600i/min
Rated Voltage	21V



LITHIUM ELECTRIC HAMMER

WME-DYS01

21V LITHIUM



Hole diameter	Φ20mm
No-load speed	0-600r/min
Impacting frequency	0-2000i/min
Rated Voltage	21V





3D three-dimensional ventilation design
It is not easy to get hot after working for a long time



Three-stage shock-absorbing design
Effectively relieve fatigue during use

BRUSHLESS LITHIUM ELECTRIC HAMMER

WME-DBL03



21V LITHIUM **BL MOTOR**

Hole diameter	Φ28mm
No-load speed	0-1200r/min
Impacting frequency	0-4500i/min
Rated Voltage	21V



It adopts strong magnetic brushless motor
Maintenance-free Significantly increase service life

BRUSHLESS LITHIUM ELECTRIC HAMMER

WME-DBL04



21V LITHIUM **BL MOTOR**

Hole diameter	Φ28mm
No-load speed	0-1200r/min
Impacting frequency	0-3800i/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL05



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	350N.m
Impact frequency	0~1800/0~2200i/min
No-load speed	0~1800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL06



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	350N.m
Impact frequency	0~1800/0~2200i/min
No-load speed	0~1800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL07



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	350N.m
Impact frequency	0~1800/0~2200i/min
No-load speed	0~1800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL08



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	350N.m
Impact frequency	0~1800/0~2200i/min
No-load speed	0~1800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL09



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	550-700N.m
Impact frequency	0-2400i/min
No-load speed	0-1700r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL10



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	600N.m
Impact frequency	0-3200i/min
No-load speed	0-2800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL11



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	600N.m
Impact frequency	0-3200i/min
No-load speed	0-2800r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL12



21V LITHIUM **BL MOTOR**

Output shaft	1/2 " - 3/4 " (square shaft)
Maximum torque	0-2100N.m
Impact frequency	0-5500i/min
No-load speed	0-3500/0-4500r/min
Rated Voltage	21V

BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL13



21V LITHIUM™ **BL MOTOR**

Output shaft	1/2 " (square shaft)
Maximum torque	800-1000N.m
Impact frequency	0-3300i/min
No-load speed	0-3000r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL14



21V LITHIUM™ **BL MOTOR**

Output shaft	1/2-3/4 " (square shaft)
Maximum torque	1000-1300N.m
Impact frequency	0-1850i/min
No-load speed	0-1700r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL15



21V LITHIUM™ **BL MOTOR**

Output shaft	1-3/4 " (square shaft)
Maximum torque	2450-3000N.m
Impact frequency	0-1400i/min
No-load speed	0-1600r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT WRENCH

WME-DBL16



40V LITHIUM™ **BL MOTOR**

Output shaft	1 " (square shaft)
Maximum torque	4000N.m
Impact frequency	0-2000i/min
No-load speed	1800-2000r/min
Rated Voltage	40V



BRUSHLESS LITHIUM DRILL

WME-DBL17

BL
MOTOR

18V LITHIUM



Borehole diameter	Φ10mm
No-load speed	0-450/0-1800r/min
Maximum torque	45N.m
Rated Voltage	18V



BRUSHLESS LITHIUM DRILL

WME-DBL18

BL
MOTOR

21V LITHIUM



Borehole diameter	Φ10mm
No-load speed	0-450/0-1800r/min
Maximum torque	45N.m
Rated Voltage	21V



BRUSHLESS LITHIUM DRILL

WME-DBL19

BL
MOTOR

21V LITHIUM



Borehole diameter	Φ10mm
No-load speed	0-450/0-1800r/min
Maximum torque	50N.m
Rated Voltage	21V



BRUSHLESS 13MM LITHIUM ELECTRIC ICE DRILL

WME-DBL20

BL
MOTOR

21V LITHIUM



Borehole diameter	Φ13mm
No-load speed	0-550/0-2200r/min
Maximum torque	158N.m
Impulse frequency	0-35000bpm
Rated Voltage	21V





BRUSHLESS MOTOR

BRUSHLESS LITHIUM ELECTRIC IMPACT DRILL

BRUSHLESS LITHIUM ELECTRIC IMPACT DRILL

WME-DBL21



21V LITHIUM **BL MOTOR**

Borehole diameter	Φ13mm
Impact frequency	0-6500/0-25500r/min
No-load speed	0-700/0-2000r/min
Maximum torque	120N.m
Rated Voltage	21V

BRUSHLESS LITHIUM DRILL

WME-DBL22



21V LITHIUM



Borehole diameter	Φ10mm
No-load speed	0-500/0-1500r/min
Maximum torque	60N.m
Rated Voltage	21V



BRUSHLESS LITHIUM ELECTRIC IMPACT DRILL

WME-DBL23



21V LITHIUM



Borehole diameter	Φ13mm
No-load speed	0-500/0-1500r/min
Maximum torque	70N.m
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT DRIVER

WME-DBL24



21V LITHIUM



Output shaft	6.35mm (1/4 ")
Maximum torque	60-230N.m
Impact frequency	1400-4000i/min
No-load speed	1200-3400r/min
Rated Voltage	21V



BRUSHLESS LITHIUM IMPACT DRIVER

WME-DBL25



21V LITHIUM



Output shaft	1/4 " (Inner six angle)
Maximum torque	280N.m
Impact frequency	0-4500i/min
No-load speed	0-3300r/min
Rated Voltage	21V



LITHIUM ELECTRIC AIR GUN

WME-DYS26

21V LITHIUM



Air flow	100L/min/200L/min
Temperature	350°C/550°C
Rated power	300W
Rated Voltage	21V



BRUSHLESS LITHIUM IRON SHEARS

WME-DBL27

BL MOTOR

21V LITHIUM



Maximum shear thickness	1 mm/2mm
No-load speed	0~1600r/min
Maximum torque	180N.m
Rated Voltage	21V



BRUSHLESS LITHIUM ELECTRIC PRUNING SHEARS

WME-DBL28

BL MOTOR

21V LITHIUM



Power	0-300W
Opening diameter	35mm
Regulation mode	2 Speed Adjustment
Rated Voltage	21V



LITHIUM ELECTRIC BLOWER

WME-DYS29



21V LITHIUM™

Air volume	2.8m³/min
No-load speed	17000r/min
Wind speed	0-10m/s
Rated Voltage	21V

BRUSHLESS LITHIUM ELECTRIC BLOWER

WME-DBL30



Two kinds of adapters, Quick loading bayonet, one second installation



21V LITHIUM™

BL MOTOR

Air volume	2.8m³/min
No-load speed	0-18000r/min
Wind speed	0-15m/s
Rated Voltage	21V

BRUSHLESS LITHIUM ELECTRIC BLOWER

WME-DBL31



21V LITHIUM™

BL MOTOR

Air volume	3.8m³/min
No-load speed	0-18000r/min
Wind speed	0-15m/s
Rated Voltage	21V

BRUSHLESS LITHIUM ELECTRIC BLOWER

WME-DBL32



21V LITHIUM™

BL MOTOR

Air volume	12.2m³/min
No-load speed	0-24000r/min
Wind speed	46.5m/s
Rated Voltage	21V



BRUSHLESS LITHIUM MINI ANGLE GRINDER

WME-DBL33



12V LITHIUM **BL MOTOR**

Grinding wheel diameter	78mm
Main shaft thread	M5
No-load speed	18500r/min
Rated Voltage	12V



BRUSHLESS LITHIUM ANGLE GRINDER

WME-DBL34



21V LITHIUM **BL MOTOR**

Grinding wheel diameter	Φ125mm
Main shaft thread	M14
No-load speed	9500r/min
Rated Voltage	21V



BRUSHLESS LITHIUM SINGLE HAND SAW

WME-DBL35



21V LITHIUM **BL MOTOR**

Saw blade size	Φ125mm
Maximum cutting depth	45mm
No-load speed	6500r/min
Bevel Angle	45°
Rated Voltage	21V



BRUSHLESS LITHIUM SINGLE HAND SAW

WME-DBL36



21V LITHIUM **BL MOTOR**

Saw blade size	Φ125mm
Maximum cutting depth	45mm
No-load speed	6500r/min
Bevel Angle	45°
Rated Voltage	21V



BRUSHLESS LITHIUM ELECTRIC CIRCULAR SAW

WME-DBL37



21V LITHIUM **BL MOTOR**

Saw blade size	185mm
Maximum cutting depth	65mm
No-load speed	0-5500r/min
Bevel Angle	45°
Rated Voltage	21V



LITHIUM CURVE SAW

WME-DYS38



21V LITHIUM

Cutting depth	65mm
Maximum cutting depth	750W
No-load speed	1000~1500r/min
Maximum stroke	15mm
Rated Voltage	21V



BRUSHLESS LITHIUM TRIMMING MACHINE

WME-DBL39



21V LITHIUM **BL MOTOR**

Saw blade size	6/6.35/8mm
Maximum cutting depth	350W
No-load speed	10000~30000r/min
Cutting depth	0.8mm
Rated Voltage	21V



BRUSHLESS LITHIUM CONSTANT TEMPERATURE TRIMMING MACHINE

WME-DBL40



21V LITHIUM **BL MOTOR**

Saw blade size	6/6.35/8mm
Maximum cutting depth	350W
No-load speed	10000~30000r/min
Cutting depth	0.8mm
Rated Voltage	21V



LITHIUM ELECTRIC SANDER

WME-DYS41



12V LITHIUM™

Rated power	350W
Floor size	Φ125mm
No-load speed	10000~12000r/min
Rated Voltage	12V

LITHIUM POLISHING MACHINE

WME-DYS42



12V LITHIUM™

Rated power	320W
Floor size	Φ150mm
No-load speed	0~4500r/min
Rated Voltage	12V



LITHIUM DRILL POLISHING MACHINE

WME-DYS43



18V-21V LITHIUM™

Rated power	350W
Floor size	Φ125mm
No-load speed	8500r/min
Rated Voltage	21V

LITHIUM POLISHING MACHINE

WME-DYS44



18V-21V LITHIUM™

Rated power	320W
Floor size	Φ150mm
No-load speed	0~4500r/min
Rated Voltage	18-21V





BRUSHLESS LITHIUM ELECTRIC MILL

WME-DBL45



12V LITHIUM **BL MOTOR**

Rated power	250W
Diameter of grinding head	3mm
No-load speed	10000~12000r/min
Rated Voltage	12V



BRUSHLESS LITHIUM ELECTRIC SANDER

WME-DBL46



21V LITHIUM **BL MOTOR**

Rated power	550W
Floor size	Φ125mm
No-load speed	10000~12000r/min
Rated Voltage	21V



BRUSHLESS LITHIUM POLISHING MACHINE

WME-DBL47



21V LITHIUM **BL MOTOR**

Rated power	550W
Floor size	110*100mm
No-load speed	10000~12000r/min
Rated Voltage	21V



BRUSHLESS LITHIUM VARIABLE SPEED POLISHING MACHINE

WME-DBL48



21V LITHIUM **BL MOTOR**

Grinding wheel diameter	125mm
Main shaft thread	M14
No-load speed	9500r/min
Rated Voltage	21V

8 "BRUSHLESS LITHIUM ELECTRIC CHAIN SAW

WME-DBL49

BL
MOTOR

21V LITHIUM



Length of guide plate	200mm
Chain size	33
No-load speed	800-1500r/min
Rated Voltage	21V



12"BRUSHLESS LITHIUM ELECTRIC CHAIN SAW

WME-DBL50

BL
MOTOR

21V LITHIUM



Length of guide plate	300mm
Chain size	40
No-load speed	800-2500r/min
Rated Voltage	21V



16"BRUSHLESS LITHIUM ELECTRIC CHAIN SAW

WME-DBL51

BL
MOTOR

21V LITHIUM



Length of guide plate	405mm
Chain size	49
No-load speed	2000-6500r/min
Rated Voltage	21V



BRUSHLESS LITHIUM DUST GUN

WME-DBL52

BL MOTOR 18V-21V LITHIUM™



Air volume	1.0m³/min
Pumping flow	3.5L/min
Mean wind speed	2100m/s
Rated Voltage	18-21V



LITHIUM ELECTRIC SPRAY GUN

WME-DYS53

21V LITHIUM™



Rated power	120W
Frequency	50/60Hz
Rated speed	30000r/min
Nozzle diameter can be adapted	1.0/1.5/1.8/2.5
Container volume	800ml
Spraying distance	200-250mm
Air flow	160L (Minimum value)
Paint flow	100-200ml/min
Rated Voltage	21V



LITHIUM ELECTRIC SPRAY GUN

WME-DYS54

21V LITHIUM™



Rated power	120W
Frequency	50/60Hz
Rated speed	30000r/min
Nozzle diameter can be adapted	1.0/1.5/1.8/2.5
Container volume	800ml
Spraying distance	200-250mm
Air flow	160L (Minimum value)
Paint flow	100-200ml/min
Rated Voltage	21V



DIGITAL DISPLAY LITHIUM ELECTRIC HOT MELT DEVICE

WME-DYS55



21V LITHIUM™

Die head type	Φ20/Φ25/Φ32
Ambient temperature	-5°C~40°C
Product structure	Hand-held
Maximum temperature	350°C
Rated Voltage	21V

PORTABLE LITHIUM WELDING TABLE

WME-DYS66



21V LITHIUM™

Air volume	480°C
No-load speed	320W
Power cord	1m
	Automatic Sleep Mode
Rated Voltage	21V

LITHIUM ELECTRIC AIR PUMP

WME-DYS57



21V LITHIUM™

Maximum power	50-120W
Maximum voltage	120V
Rated current	1.0-2.5A
Rated Voltage	21V

LITHIUM ELECTRIC CAR WASHING MACHINE

WME-DYS68



21V LITHIUM™

USB output	
2x USB- A: 5V/2.1A x Type-C: PD3.0, 5~12V/18W	
Operating temperature	-10°C~ + 40°C
AC output power	330W
Output Frequency	50/60Hz
Rated Voltage	220V

LITHIUM ELECTRIC AIR PUMP

WME-DYS59



21V LITHIUM

Air volume	55-100L
No-load speed	40cm
Wind speed	450Psi/900Kpa
Rated Voltage	21V

LITHIUM ELECTRIC AIR PUMP

WME-DYS60



21V LITHIUM

Air volume	35-55L
No-load speed	40cm
Wind speed	370Psi/720Kpa
Rated Voltage	21V

LITHIUM ELECTRIC AIR PUMP

WME-DYS61



21V LITHIUM

Air volume	30-65L
No-load speed	40cm
Wind speed	130Psi/830Kpa
Rated Voltage	21V

LITHIUM ELECTRIC CAR WASHING MACHINE

WME-DYS62



21V LITHIUM

Maximum flow	4.09/min
Maximum pressure	0.9-3.5mpa
No-load speed	20000r/min
Rated Voltage	21V

LITHIUM ELECTRIC TILING MACHINE

WME-DYS63

21V LITHIUM™



Adsorption power	50Kg
Vibration frequency	10000.../min
Sucker diameter	Φ125mm
Rated Voltage	21V



BRUSHLESS LITHIUM BUTTER GUN

WME-DBL64

BL MOTOR

21V LITHIUM™



Barrel capacity	600cc
Oil output per minute	110g~130g
Peak withstand voltage	10000PSI
Peak power	500W
Rated Voltage	21V



BRUSHLESS LITHIUM VIBRATOR

WME-DBL65

BL MOTOR

21V LITHIUM™



Power	0-800W
No-load speed	0-3200r/min
Max vibration pump head	0-10m
Applicable international model	25-35#
Rated Voltage	21V



BRUSHLESS LITHIUM RIVET GUN

WME-DBL66



BL
MOTOR

21V LITHIUM



Applicable to pull riveting specifications 2.4mm~5.0mm

Adaptable guide nozzle 3.2/4.0/4.8

Rated Voltage 20mm

Rated Voltage 21V

BRUSHLESS LITHIUM STAINLESS STEEL RIVET GUN

WME-DBL67



BL
MOTOR

21V LITHIUM



Applicable to pull riveting specifications 2.4mm~5.0mm

Adaptable guide nozzle 3.2/4.0/4.8

Rated Voltage 20mm

Rated Voltage 21V

BRUSHLESS LITHIUM RECIPROCATING SAW

WME-DBL68



BL
MOTOR

21V LITHIUM



Cutting capacity	115mm
No-load speed	0~2800r/min
Reciprocating stroke	25mm
Cutting depth	10mm (hard metals)
	35-50mm (Wood)
	35-50mm (pipe diameter)
Rated Voltage	21V

LITHIUM RECIPROCATING SAW

WME-DBL69



21V LITHIUM



Cutting capacity	115mm
No-load speed	1500~2000r/min
Reciprocating stroke	25mm
Cutting depth	10mm (hard metals)
	50mm (Wood)
	50mm (pipe diameter)
Rated Voltage	21V



5 " LITHIUM ELECTRIC PORTABLE IRON FAN

WME-DYS70



21V LITHIUM™

Air velocity	4.2m ³ /min
Max wind velocity	1.0m/min
No-load speed	1000~2500r/min
Running time	10h
Rated Voltage	21V



6 " LITHIUM ELECTRIC PORTABLE IRON FAN

WME-DYS71



21V LITHIUM™

Air velocity	5.8m ³ /min
Max wind velocity	1.5m/min
No-load speed	1500~3000r/min
Running time	3-4h
Rated Voltage	21V



8 " LITHIUM ELECTRIC PORTABLE IRON FAN

WME-DYS72



21V LITHIUM™

Air velocity	6.5m ³ /min
Max wind velocity	2.0m/min
No-load speed	1500~2500r/min
Running time	3-4h
Rated Voltage	21V

11 " LITHIUM ELECTRIC PORTABLE IRON FAN

WME-DYS73



21V LITHIUM™



Air velocity	7.0m ³ /min
Max wind velocity	3.0m/min
No-load speed	2500~4500r/min
Running time	3h
Rated Voltage	21V

12 " AC/DC FLOOR FAN

WME-DYS74



21V LITHIUM™



Ac/DC adapter input	100-240V~50/60Hz 1.0A
Ac/DC adapter output	20V===1500mA
No-load speed	1500~2250r/min
Rated power	20W
Blade diameter	240mm
Working time	3.6h — 11.5h
Adapter power cord	1.5m
Rated Voltage	21V



LITHIUM LED INSPECTION LIGHT

WME-DYS75



18V-21V LITHIUM

Bead quantity	3 (Lamp bead)
Maximum wattage	15W
Maximum lumen	259-500lm
Waterproof class	3
Rated Voltage	18/21V



LED-3 ELLIPTIC MODULATION

WME-DYS76



18V-21V LITHIUM

Bead quantity	31 (Lamp bead)
Maximum wattage	30W
Maximum lumen	700lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-3 LARGE FIELD OF VIEW

WME-DYS77



18V-21V LITHIUM

Bead quantity	29 (Lamp bead)
Maximum wattage	40W
Maximum lumen	700lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-4 ROUND LIGHT

WME-DYS78



18V-21V LITHIUM™

Bead quantity	28 (Lamp bead)
Maximum wattage	55W
Maximum lumen	850lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-4 SQUARE LIGHT

WME-DYS79



18V-21V LITHIUM™

Bead quantity	16 (Lamp bead)
Maximum wattage	27W
Maximum lumen	1500lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-4 HIGH LIGHT SQUARE

WME-DYS80



18V-21V LITHIUM™

Bead quantity	41 (Lamp bead)
Maximum wattage	48W
Maximum lumen	1750lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-4 LARGE FIELD OF VIEW

WME-DYS81



18V-21V LITHIUM™

Bead quantity	30 (Lamp bead)
Maximum wattage	48W
Maximum lumen	2800lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-5 LARGE FIELD OF VIEW

WME-DYS82



18V-21V LITHIUM™

Bead quantity	48 (Lamp bead)
Maximum wattage	70W
Maximum lumen	4000lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-3 LARGE FIELD OF VIEW

WME-DYS83



18V-21V LITHIUM™

Bead quantity	59 (Lamp bead)
Maximum wattage	85W
Maximum lumen	5500lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A



LED-8 LARGE FIELD OF VIEW

WME-DYS84



18V-21V LITHIUM™

Bead quantity	84 (Lamp bead)
Maximum wattage	90W
Maximum lumen	7000lm
Waterproof class	3
Rated Voltage	18/21V
USB output power	1.0/2.0A

LIGHTING SERIES

Easy-to-carry Lithium Battery Light

21V LITHIUM



MOD	Dimension	Bead quantity	Rated power
WME-DYS76	3 " oval	21Lamp bead	30W
WME-DYS77	3 " vision	29Lamp bead	40W
WME-DYS78	4 " round light	28Lamp bead	55W
WME-DYS79	4 " square light	16Lamp bead	27W
WME-DYS80	4 " high light square	41Lamp bead	48W
WME-DYS81	4 " vision	30Lamp bead	48W
WME-DYS82	5 " vision	48Lamp bead	70W
WME-DYS83	7 " vision	59Lamp bead	85W
WME-DYS84	8 " vision	84Lamp bead	90W
WME-DYS75	Lithium LED inspection light	3Lamp bead	15W

Special Remarks: The above outdoor lithium lamps can be adapted to a variety of battery pins in the world, supporting customized brands/colors, Need to customize the light body with the same color 5000

Waymore Tools Co.,Ltd.

2025

ONE STOP SERVICE FOR POWER TOOLS



Waymore Tools Co., Ltd.

Tel : 86-137 7763 7758

Whatsapp : 86-137 7763 7758

Email : daniel@waymoretools.com

Website : <https://www.waymoretools.com>

If necessary, you can contact us anytime.

We will serve you wholeheartedly.